



Procedure

PRIMARY INDUSTRIES
Biosecurity & Food Safety NSW
 PO Box 232, Taree NSW 2430
 Tel: 02 6552 3000 Fax: 02 6552 7239
 Email: bfs.admin@dpi.nsw.gov.au

ICA-02

FLOOD SPRAYING WITH DIMETHOATE

NUMBER	ICA02	VERSION	8.0
AUTHORISED BY	Manager, Plant Product Integrity & Standards		
AUTHORISED DATE	19/09/2023	EFFECTIVE DATE	19/09/2023
ISSUED BY	Primary Industries, Biosecurity & Food Safety		

REVISION HISTORY

VERSION	DATE	AMENDMENTS	
		SECTION	DETAILS
1.0	16 Sept 2003	All	New ICA Procedure
2.0	22 Dec 2003		Pages 8, 15,16, 17 & 18
3.0	27 May 2006		All pages
4.0	15 September 2011	All Section 2	Reformat whole document Scope changed following APVMA suspension of Dimethoate for some host produce.
5.0	6 October 2015	All	Reformat whole document, include tank calibration certificate, addition of calibration methods and records.
6.0	20 June 2017	All	Changes made to align with the <i>Biosecurity Act 2015</i> . Updated definitions, removed details for accreditation, auditing procedures, sanctions policy and charging, and replaced the application form and PHAC. Updated NSW Department of Primary Industries contact details.
7.0	5 April 2019	2	Scope changed following APVMA updating Dimethoate permit for several host fruits. Removal of hot chillies. Removal of melons. Inclusion of requirement that citrus with inedible peel cannot be pre-harvest treated with dimethoate.
8.0	19 September 2023	2	Scope changed following APVMA suspension of post-harvest dipping and flood spraying of tropical and sub-tropical fruit with an inedible peel, but continuing to allow treatment of citrus.

Disclaimers

upon which they rely is up-to-date and to check currency of the information with the appropriate officer of the Department or the user's independent adviser.

PROCEDURE

Contents

- 1. PURPOSE4
- 2. SCOPE4
- 3. REFERENCES4
- 4. DEFINITIONS5
- 5. RESPONSIBILITY6
- 6. REQUIREMENTS7
- 7. PROCEDURE7
 - 7.1 Flood spraying machinery and equipment 7
 - 7.2 System calibration..... 8
 - 7.3 Flood spray preparation 9
 - 7.3.1 Spray Mixture Preparation Chart 10
 - 7.3.2 Preparing the spray mixture 10
 - 7.3.3 Pre-flood spraying treatments 10
 - 7.3.4 Last treatment before packing 10
 - 7.3.5 Maintaining spray concentration and volume 11
 - 7.3.6 Treatment records 11
 - 7.4 Spray concentration testing 11
 - 7.4.1 Frequency of sampling 11
 - 7.4.2 Collection of the sample..... 12
 - 7.4.3 Storing and packaging the sample..... 12
 - 7.4.4 Chemical mixture analysis records 12
 - 7.5 Disposal of the spray mixture..... 12
 - 7.6 Flood spraying equipment maintenance 12
 - 7.7 Post Treatment Security (Tasmania only)..... 12
 - 7.7.1 Package Identification..... 13
 - 7.7.2 Plant Health Assurance Certificates (PHACs) 13
 - 7.7.3 Plant Health Assurance Certificate (PHAC) distribution..... 14
- 8. RECORDS AND DOCUMENT CONTROL15
 - 8.1 ICA system records..... 15
 - 8.2 ICA system documentation 15
- 9. ATTACHMENTS15

1. PURPOSE

The purpose of this Procedure is to describe:

- (a) the principles of operation, design features and standards required; and
- (b) the responsibilities and actions of personnel;

that apply under this Interstate Certification Assurance (ICA) arrangement.

2. SCOPE

This Procedure covers certification of eligible citrus fruit flood sprayed with dimethoate:

Pests: Queensland Fruit Fly (*Bactrocera tyroni*).

Produce: eligible citrus fruit

Location: New South Wales.

IMPORTANT

Suspension of Dimethoate

The Australian Pesticides and Veterinary Medicines Authority (APVMA) have suspended certain use patterns for Dimethoate. Dipping of some host fruits previously eligible for treatment are no longer permitted. Check the APVMA website at www.apvma.gov.au for further details.

ALWAYS READ THE LABEL

Users of agricultural (or veterinary) chemical products **must** always read the label and any Permit before using the product and strictly comply with the directions on the label and the conditions of any Permit. Users are not absolved from compliance with the directions of the label or the conditions of the Permit by reason of any statement made or omitted to be made in this Procedure.

Some produce may be damaged by chemical treatments. Businesses applying chemical treatments should check with experienced persons for any available information. Testing of small quantities is recommended.

Following the treatment requirements in this Procedure does not absolve the Business from the responsibility of ensuring that any pesticide run-off is fully contained and managed within the property.

The Department maintains the right to inspect, at any time, certified produce. Certificates may not be accepted if the fruit is found not to conform to specified requirements.

Certification under this Procedure may not fulfil all quarantine entry conditions for all host produce to interstate markets. It is the responsibility of the consigning Business to ensure compliance with all applicable quarantine requirements.

Information on intrastate and interstate quarantine requirements can be obtained by phoning 1800 084 881 or accessing <http://www.interstatequarantine.org.au/>.

3. REFERENCES

[Biosecurity Act 2015](#)

Further information – <https://www.dpi.nsw.gov.au/biosecurity/plant>

Policies – <http://www.dpi.nsw.gov.au/biosecurityact/procedures>

Accreditation of Biosecurity Certifiers

4. DEFINITIONS

In this Procedure:

<i>Act</i>	means the Biosecurity Act 2015
<i>APVMA</i>	means the Australian Pesticides and Veterinary Medicines Authority.
<i>Authorised Person</i>	means an authorised officer under the Act or a person authorised under a law of another State or Territory that relates to plant biosecurity.
<i>Authorised Signatory</i>	means a person whose name is notified to the Secretary as a person who can issue a biosecurity certificate on behalf of the business.
<i>Business</i>	means the legal entity accredited as a biosecurity certifier under the Act.
<i>Certification</i>	means a Plant Health Certificate or a Plant Health Assurance Certificate, which verifies that a consignment meets the requirements of an Interstate Certification Assurance Procedure or an interstate quarantine entry requirement.
<i>Certification Assurance Arrangement</i>	means a CA Arrangement that enables a business or a person authorised under a corresponding law of a State or Territory, to issue a Plant Health Assurance Certificate that meets certain plant health quarantine conditions for trade within the State or between the State and other States and Territories.
<i>consignment</i>	means a discrete quantity of packages consigned to a single consignee at 1 location at one time.
<i>Department</i>	means the NSW Department of Industry – Office of Primary Industries
<i>eligible citrus fruit</i>	means citrus fruit excluding kumquats, and citrus fruit that has received pre-harvest treatment with dimethoate
<i>facility</i>	means a location where produce is assembled, inspected, securely stored, certified and dispatched.
<i>flood spraying</i>	means flooding with a high volume application which applies at least 16 L/minute of the chemical mixture per square metre of the area being flood sprayed.
<i>ICA Scheme</i>	means a scheme developed by the States and Territories to meet their respective plant quarantine requirements under the Memorandum of Understanding on Interstate Certification Assurance dated 6 August 1999.
<i>non-conformance</i>	means a failure to fulfil a specified requirement.
<i>PHAC</i>	means a Plant Health Assurance Certificate that is issued in accordance with the requirements of a Certification Assurance Arrangement.
<i>property</i>	means 1 or more contiguous parcels of land (lots on plan), owned or leased by a Business, that are managed as a unit and isolated from any other parcel of land owned or leased by the same Business.
<i>Queensland fruit fly (QFF)</i>	means the pest <i>Bactrocera tryoni</i> (Froggatt).
<i>SDS</i>	means Safety Data Sheet as required by Safework Australia.

5. RESPONSIBILITY

Position titles have been created to reflect the responsibilities which must be met by the Business under the ICA arrangement. These positions must be assigned to trained staff. One person may carry out the responsibilities of more than 1 position.

Certification Controller is responsible for:

- ensuring the Business and its staff comply with their responsibilities and duties under this Procedure;
- representing the Business during audits and other matters relevant to ICA accreditation;
- training staff in their duties and responsibilities under this Procedure;
- ensuring the Business has a current accreditation for an ICA arrangement under this Procedure; and
- ensuring all certification of eligible citrus fruit is carried out in accordance with this Procedure.

Treatment Operator is responsible for:

- reading the label and/or permit, and SDS for the chemical product in use;
- preparing and maintaining flood spray mixtures and top-up mixtures;
- maintaining spray preparation, top-up and treatment records;
- maintaining spray mixture concentration testing analysis records;
- calibrating flood spray equipment;
- maintaining spray coverage and spray application rate test records; and
- maintaining flood spraying equipment.

Authorised Dispatcher is responsible for:

- ensuring all packages covered by a PHAC are identified;
- ensuring certified eligible citrus fruit is transported in secure conditions (Tasmania only); and
- maintaining copies of all PHACs issued by the Business under this Procedure.

Authorised Signatory is responsible for:

- ensuring, prior to signing and issuing a PHAC, that eligible citrus fruit covered by the certificate has been prepared in accordance with this Procedure;
- ensuring the details on the certificate are true and correct in every particular; and
- signing and issuing the PHAC.

6. REQUIREMENTS

Pesticides Act 1999

There may be additional requirements, including records which must be kept, that a Business must meet under the [Pesticides Act 1999](#) that are not specified in this ICA Procedure.

Eligible citrus fruit certified for post-harvest treatment under this Procedure must comply with the following requirements:

- (a) the fruit must be flood sprayed in a single layer with a mixture containing 400 mg/L dimethoate in accordance with all label requirements and APVMA permit directions for the control of QFF; and
- (b) of dimethoate application must be in a high volume of at least 16 L/minute per square metre of the area being sprayed to provide complete coverage of the eligible citrus fruit for a minimum of 10 seconds, after which the fruit must remain wet for not less than 60 seconds; and
- (c) flood spraying must be the last treatment before packing with the following exceptions:
 - (i) non-recovery gloss coating (“wax”) may be applied not less than 60 seconds after treatment; and
 - (ii) washing, treatment with a fungicide and/or a gloss coating may only be applied a minimum of 24 hours after dipping.

7. PROCEDURE

7.1 Flood spraying machinery and equipment

Flood spraying equipment shall be designed and operated to ensure eligible citrus fruit passes under the spray in a single layer and the entire surface of the eligible citrus fruit is completely covered for a duration of at least 10 seconds and stays wet for no less than 60 seconds.

All surfaces of the eligible citrus fruit must be in contact with the spray mixture either by rotating the fruit as it passes under the spray, or through designing the spray system to ensure complete coverage of the eligible citrus fruit as it passes through the spray.

Eligible citrus fruit feed mechanisms must be designed in a manner that prevents the fruit from passing through the spray before it has been completely covered with spray for a duration of 10 seconds or more, or allows hand-operated processes to be accurately timed.

7.1.1 Volume of the spray tank

Prior to initial use of tank, the equipment shall be calibrated for tank volume using a calibrated flow meter. Re-calibration is required where the tank has been altered to the extent that the changes will impact the volume calibration, i.e., changed tank size.

During calibration, permanent volume indicator marks shall be made on the inside of the tank, or on a sight tube or sight panel on the outside of the tank, or by some other device which clearly and accurately indicates the maximum mixture level and incremental volumes used.

Volume indicator marks shall include the volume in litres required to fill the tank to that level.

A tank calibration certificate shall be issued, which shall include the following minimum information:

- (a) Business IP number;
- (b) unique identification of the tank;
- (c) name of person conducting calibration;
- (d) date of calibration;
- (e) type of calibrated flow meter used;
- (f) date of last calibration of calibrated flow meter;
- (g) maximum volume calibrated; and

- (h) incremental volumes calibrated.

7.2 System calibration

The **Treatment Operator** must carry out spray coverage and spray application rate calibration tests at a minimum of:

- (a) once immediately prior to commencement of treatment and certification of eligible citrus fruit each season for each eligible citrus fruit type being treated;
- (b) within 4 weeks of commencement of treatment each season, or prior to the compliance audit, whichever is the earlier; and
- (c) once a month during each season for each eligible citrus fruit type.

7.2.1 Spray coverage calibration

The **Treatment Operator** must ensure eligible citrus fruit is completely covered by the flood spray for a minimum of 10 seconds. The eligible citrus fruit must remain wet and not undergo any drying process (for example, fans, blowers or heaters) for at least a further 60 seconds after the fruit has been flood sprayed for 10 seconds.

Calibration tests may be carried out by placing an identifiable piece of eligible citrus fruit (for example, marked with a waterproof ink) on the feed mechanism with a normal flow rate of other eligible citrus fruit. The Treatment Operator times the period that the marked piece of eligible citrus fruit is under the spray.

This process is repeated until the eligible citrus fruit remains completely covered with the spray mixture for at least 10 seconds and remains wet for a further 60 seconds after flood spraying for 10 seconds.

If any of the tests reveal that eligible citrus fruit is not remaining fully under the spray for at least 10 seconds, or the fruit is undergoing a drying process within 60 seconds of treatment, the equipment shall be adjusted and the procedure repeated until a satisfactory result is achieved.

7.2.2 Spray coverage calibration records

Records of spray coverage calibration tests shall be maintained by the **Treatment Operator** which record:

- (a) the name of the person conducting the test;
- (b) the date of testing; and
- (c) the results achieved during the tests.

Spray Coverage Calibration Test Records can be recorded using the form in Attachment 2.

7.2.3 Spray application rate calibration

The Treatment Operator shall ensure that the application rate of the flood spray equipment is at least 16 Litres per minute per each square metre of the area being flood sprayed.

Records of spray application rate calibration tests (Attachment 3) shall include:

- (a) the name of the person conducting the test;
- (b) the date of testing;
- (c) the full calculations used to determine the spray equipment's application rate (for example, m² of treatment area); and
- (d) the results achieved during the tests.

7.2.4 *Maintaining correct pH*

The **Treatment Operator** shall ensure that the Dimethoate flood spray is maintained at a pH below 7.0 to prevent breakdown of the pesticide.

The mixture pH must be monitored at commencement of treatment each day to ensure correct pH. The mixture shall be tested with a commercially available pH tester. The flood spray mixture pH monitoring record (Attachment 4) shall include:-

- (a) person conducting check;
- (b) date and time of check;
- (c) result; and
- (d) corrective action taken, for example, type of buffer added and quantity.

7.2.5 *Topping-up*

During the spraying process, it may be necessary for the Treatment Operator to top-up the spray mixture to maintain the required concentration and/or volume. This is done by adding the required quantity of water with the required amount of concentrate to the spray mixture as determined by the facility's top-up program.

Where top-up mixtures are prepared in the spray tank, volume of the top-up mixture must be calculated by using either the incremental volume marks, or a calibrated measuring vessel or liquid metering device so that allowance is made for mixture already in the spray tank.

Ensure that the chemical is completely diluted in all of the water by thoroughly mixing the tank for a minimum of 2 minutes before recommencing flood spraying.

7.2.6 *Top-up program*

A facility which uses topping-up as a means of maintaining spray volume and/or concentration must develop and document a top-up program for maintaining spray mixture concentration.

The top-up program shall state:

- (a) the frequency of topping-up based on the quantity of eligible citrus fruit treated or time; and
- (b) the quantity of concentrate and water required to be added.

The Business shall provide evidence that the spray top-up program is effective in achieving and maintaining spray mixture concentration within $\pm 15\%$ of the required concentration.

7.2.7 *Top-up preparation records*

Records of spray top-up preparation shall be maintained by the **Treatment Operator** (Attachment 4). The record must include:

- (a) the date and time of topping-up;
- (b) operator initials;
- (c) volume of concentrate added to spray mixture (mL);
- (d) volume of water added to spray mixture (L).

7.3 **Flood spray preparation**

The **Treatment Operator** must prepare fresh spray mixture at a minimum of every 48 hours or more frequently, as required.

Unused spray mixture may be held overnight for use the next day; however the mixture must be thoroughly mixed for at least 2 minutes prior to further use.

Periods longer than 48 hours may be considered where a Business can demonstrate, by analysis of the chemical mixture, the ability to control and maintain concentration for a specified longer period.

Eligible citrus fruit should be clean before spray treatment is applied to avoid fouling the spray mixture and restricting or reducing contact of the chemical with the surface of the fruit.

7.3.1 Spray Mixture Preparation Chart

The Business must maintain a 'Spray Mixture Preparation Chart' (Attachment 5) or similar record in close proximity to the flood spraying equipment.

The Chart must provide the following details:

- (a) the total volume in litres (L) of the spray tank when filled to the maximum mixture level mark; and
- (b) the volume in millilitres (mL) of concentrate to achieve the required concentration of the chemical in a full tank of the made-up spray mixture; and
- (c) the volume in millilitres (mL) of a concentrate to achieve the required concentration of the chemical in a made-up spray mixture for incremental volumes or top-up volumes used; and
- (d) the printed name and signature of the person responsible for the Chart's preparation and the date of preparation.

7.3.2 Preparing the spray mixture

Fill the tank with clean water to the appropriate incremental volume mark or maximum mixture level mark.

Other ingredients may only be added to the mixture if they are known to be compatible with the chemical used to control fruit flies.

If a buffer is required, add it to either the empty dip tank, or during filling.

Ensure that the chemical is completely diluted in all of the water by mixing the tank for a minimum of two (2) minutes before commencing the dip operation. Some facilities may require extended periods of mixing to fully dilute the chemical in the water.

The 'Spray Mixture Preparation, Top-Up and Treatment Record' (Attachment 4) must include:

- (a) the date and time of treatment preparation
- (b) person preparing mixture;
- (c) pH of mixture;
- (d) volume of concentrate in mixture (mL); and
- (e) volume of water in mixture (L).

7.3.3 Pre-flood spraying treatments

Eligible citrus fruit can be treated with water or other chemical treatments prior to flood spraying with dimethoate provided there is enough time for the majority of the water to drain off and minimise the dilution of the spray mixture.

The direct addition of chemicals to the wash water or carriage of chemicals on eligible citrus fruit that raise pH or otherwise destroy the pesticide must be avoided.

Where eligible citrus fruit has undergone pre-flood spraying washing or chemical treatments, a spray mixture top-up program may be required to maintain the spray mixture concentration within the required tolerance.

7.3.4 Last treatment before packing

Flood spraying must be the last treatment before packing although eligible citrus fruit with the following exceptions:

- (a) have a non-recovery gloss coating (wax) applied at least 60 seconds after flood spraying with dimethoate; and

- (b) be washed, fungicide treated and/or have a gloss coating applied a minimum of 24 hours after flood spraying with dimethoate.

The Treatment Operator must ensure that no other treatments, such as fungicide treatment or washing, are applied to eligible citrus fruit between flood spraying and packing. However, other processes may be approved provided they do not affect the efficacy of the flood spray treatment.

7.3.5 Maintaining spray concentration and volume

During flood spraying operations, the concentration of the chemical mixture must be maintained within $\pm 15\%$ of the required concentration and in accordance with any endorsed top-up program.

7.3.6 Treatment records

The **Treatment Operator** must record all spray mixture preparation, top-up mixture preparation and treatment using a 'Spray Mixture Preparation, Top-Up and Treatment Record' (Attachment 4), or records which capture the same information.

The treatment records must record:

- (a) the date of flood spray mixture or top-up mixture preparation; and
- (b) the time of flood spray mixture or top-up mixture preparation; and
- (c) whether it is a top-up; and
- (d) whether there is a pH check; and
- (e) the volume of concentrate used (mL); and
- (f) the volume of the made-up spray mixture or top-up mixture (L); and
- (g) the trade name of the concentrate used; and
- (h) the date the spray mixture was discarded; and
- (i) the date of treatment; and
- (j) treatment commencement time; and
- (k) treatment completion time; and
- (l) the type of eligible citrus fruit treated; and
- (m) approximate quantity of eligible citrus fruit treated; and
- (n) the identification of the Treatment Operator.

7.4 Spray concentration testing

The Business must verify the ability to achieve and maintain spray concentrations by providing the results of analysis of samples of a spray mixture from an approved laboratory.

7.4.1 Frequency of sampling

Spray mixtures of dimethoate must be sampled at least every 12 months and at any time the species of eligible citrus fruit being handled is changed or there is a change to the method of processing the same species of eligible citrus fruit, which could affect the concentration of insecticide.

Samples shall be collected:

- (a) once prior to initial approval of the facility (so an analysis result is available for the Authorised Person carrying out the initial audit of the Business' facility and operating procedures); and
- (b) immediately following preparation of the spray mixture; and
- (c) at cessation of treatment after the chemical mixture has been used to treat the maximum quantity of eligible citrus fruit that will be treated in the facility before a spray mixture is discarded.

An additional spray mixture sample is required for a facility using a top-up program after topping-up the mixture according to the facility's documented top-up program.

7.4.2 Collection of the sample

Samples of a minimum of 200 mL must be taken from the centre of the spray tank or, if this is not practical, from a spray nozzle after the spray has run for a minimum of 5 minutes, and placed in a clean glass sample bottle with a secure watertight lid.

7.4.3 Storing and packaging the sample

Samples should be stored under refrigeration and dispatched within 24 hours of collection to minimise losses in chemical concentration.

Samples must be carefully packaged to prevent damage in transit and comply with any hazardous chemical packaging and transport requirements.

Samples shall be accompanied by a completed 'Fruit Fly Chemical Treatment Sample for Analysis' form (Attachment 6).

7.4.4 Chemical mixture analysis records

Results of the analysis must be retained by the Business for a minimum of 24 months from receipt and be made available when requested by an Authorised Person.

Details of chemical mixture analysis results must be maintained using a 'Chemical Mixture Analysis Record' (Attachment 7) or similar record which captures the same information.

The chemical mixture analysis records must include:

- (a) the date and time of collection of the sample; and
- (b) the full trade name and batch number and expiry date of the concentrate used; and
- (c) the total volume (mL) of concentrate added to the spray mixture; and
- (d) the total volume (L) of the prepared spray mixture from which the sample was taken.

Additional data that should be recorded by the Business includes:

- (a) the name and quantity of any detergents, fungicides or other additives added to the spray mixture;
- (b) type and quantity of eligible citrus fruit treated prior to collection of the sample; and
- (c) whether the eligible citrus fruit was dry, moist or wet when it entered the spray mixture.

Once the Business is accredited, any deficiency in an analysis result must be reported to the accrediting authority within 24 hours so an investigation may be carried out to determine the cause and rectify any problems.

7.5 Disposal of the spray mixture

The treatment facility must have the facilities to dispose of the spray mixture in a manner consistent with local government and Environmental Protection Authority (EPA) requirements.

7.6 Flood spraying equipment maintenance

The **Treatment Operator** shall carry out regular checks of dipping equipment to ensure it continues to operate effectively according to the required standards and remains free from soiling, malfunction, blockages, damage or excessive wear.

7.7 Post Treatment Security (Tasmania only)

Packing shall commence as soon as practicable after treatment. Eligible citrus fruit may be allowed to dry adequately prior to packing.

Eligible citrus fruit shall be held for the minimum practical period after treatment before it must be secured against reinfestation.

Any eligible citrus fruit which is stored outside the treatment facility after treatment, and prior to dispatch, must be held under secure conditions.

Any treated fruit which remains unpacked at the end of the day must be held in secure conditions until packed. Completed pallets shall be held for the minimum practical period before placing in secure conditions.

Certified eligible citrus fruit must be stored at, and transported from, the facility in secure conditions which prevent infestation by fruit fly.

PHACs must state that eligible citrus fruit was; "Packed in such a way as to prevent infestation of fruit fly".

Secure conditions are:

- (a) unvented packages;
- (b) vented packages with the vents secured with gauze/mesh with a maximum aperture of 1.6 mm;
- (c) fully enclosed under tarpaulins, hessian, shade cloth, mesh or other covering which provides a maximum aperture of 1.6 mm;
- (d) shrink-wrapped and sealed as a palletised unit;
- (e) fully enclosed or screened buildings, cold rooms, vehicles or other facilities free from gaps or other entry points greater than 1.6 mm.

The Business shall have adequate procedures in place which prevent mixing of treated and untreated eligible citrus fruit at the facility.

Eligible citrus fruit consigned to Tasmania must be transported in full container lots sealed prior to transport, or as lesser container lots in accordance with the requirements of (a), (b) or (d) above.

Where consignments are transported to Tasmania as full container lots, the seal number must be included in the additional declaration section of the PHAC covering the consignment (Attachment 8).

Where consignments are transported in vented packages that are sealed as a palletised unit in accordance with (d) above, the Business must secure the top layer of the pallet by applying a row of tape over the shrink-wrap and have applied to the tape, in waterproof ink, the signature of an Authorised Signatory, the number of the PHAC covering the consignment and the date.

7.7.1 Package Identification

The **Authorised Dispatcher** shall ensure that, after treating and packing, each package is marked in indelible and legible characters of at least 5 mm, with:

- (a) the Interstate Produce (IP) number of the Business that operates the approved facility in which the eligible citrus fruit was treated;
- (b) the words "MEETS ICA-02"; and
- (c) the date (or date code) on which the eligible citrus fruit was treated;

prior to the issuance of a PHAC by the Business under this Procedure.

Eligible citrus fruit that has not been verified as conforming to the requirements specified in this Procedure must not be marked as stated above.

7.7.2 Plant Health Assurance Certificates (PHACs)

The Authorised Dispatcher must ensure a PHAC (Attachment 8) is completed and signed by an Authorised Signatory prior to the consignment being dispatched.

PHACs must be completed, issued and distributed in accordance with the work instruction WI-01 'Guidelines for the completion of Plant Health Assurance Certificates'.

The Business must not issue a PHAC for product owned by another Business. An individual PHAC must be issued to cover each consignment to avoid splitting of consignments.

Books of pre-printed PHACs are available from ICA Records Management, Department of Primary Industries, phone 02 6552 3000.

Upon suspension, cancellation or withdrawal of accreditation, the PHAC book must be immediately returned to the Department.

7.7.3 Plant Health Assurance Certificate (PHAC) distribution

The **original** (yellow copy) must accompany the consignment.

The **duplicate** (white copy) must be retained by the Business.

8. RECORDS AND DOCUMENT CONTROL

8.1 ICA system records

The Business must maintain the following records, or similar which record the same information:

- (a) 'Spray Coverage Calibration Test Record' (Attachment 2); and
- (b) 'Spray Application Test Record' (Attachment 3); and
- (c) 'Spray Mixture Preparation Chart' (Attachment 4); and
- (d) 'Spray Mixture Preparation, Top-Up and Treatment Record' (Attachment 5); and
- (e) 'Chemical Treatment Sample Analysis Form' (Attachment 6); and
- (f) 'Chemical Mixture Analysis Record' (Attachment 7); and
- (g) a copy of each PHAC issued by the Business.

Records must be retained for at least 4 years from completion.

Records shall be made available on request to an Authorised Person.

8.2 ICA system documentation

The Business must maintain the following documentation:

- (a) a current copy of the ICA Procedure; and
- (b) a current Certificate of Accreditation.

Documentation must be made available on request to an Authorised Person.

9. ATTACHMENTS

Attachment 1	Application for Accreditation as a Biosecurity Certifier
Attachment 2	Spray Coverage Calibration Test Record
Attachment 3	Spray Application Test Record
Attachment 4	Spray Mixture Preparation Chart
Attachment 5	Spray Mixture Preparation, Top-Up and Treatment Record
Attachment 6	Fruit Fly Chemical Treatment Sample Analysis Form
Attachment 7	Chemical Mixture Analysis Record
Attachment 8	Plant Health Assurance Certificate

Application for accreditation as a Biosecurity Certifier

A business seeking to become accredited or renew accreditation for an ICA or CA arrangement must complete and lodge an application for accreditation using the prescribed form and paying the application fee.

The application form can be accessed at:

<https://www.dpi.nsw.gov.au/biosecurity/plant> under the heading **Market access**

Alternatively, contact ICA Records Management:

Phone: 02 6552 3000

Fax: 02 6552 7239

Email: bfs.admin@dpi.nsw.gov.au

Spray Coverage Calibration Test Record

Date of Test	Eligible citrus fruit type	Time covered in spray (seconds)			Time to drying process (seconds)	Name of Testing Officer	Comments
		Test 1	Test 2	Test 3			
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							
/ /							

NOTES

1. Spray coverage calibration tests must be carried out immediately prior to commencement of treatment and certification of eligible citrus fruit , within 4 weeks of commencement of treatment or prior to the Business' compliance audit, and once a month during the season for each eligible citrus fruit type being treated.
2. For each test, record the number of seconds an identifiable piece of eligible citrus fruit is covered by the spray mixture in the normal flow of eligible citrus fruit.
3. Adjust the equipment and repeat the test if any of the tests are below the minimum specified time period for complete spray coverage and drying of the eligible citrus fruit.

Spray Application Test Record

Date of Test	Application Rate Required	No. of Nozzles	Output for Individual Nozzles (L /min/nozzle)	Total Output (L/min)	Total Spray Area (m ²)	Application Rate	Testing Officer's Name
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	
/ /	L/m ² /min					L/m ² /min	

NOTES

1. Spray application rate calibration tests must be carried out immediately prior to commencement of treatment and certification of eligible citrus fruit , within 4 weeks of commencement of treatment or prior to the Business's compliance audit, and once a month during the season for each eligible citrus fruit type being treated.
2. Calculate the Total Output of the spray equipment by placing a collection vessel under each spray nozzle for a measured time period and determine the volume of output from each nozzle over a 1 minute period. Total the output (L/min) from each of the nozzles to give the Total Output (L/min).
3. Calculate the Total Spray Area (m²) by multiplying the spray area width by the spray area length, the boundary being the line at which the eligible citrus fruit's surface is fully wetted.
4. Divide the Total Output (L/min) by the Total Spray Area (m²) to give the Application Rate (L/min/m²) -

$$Total\ Output\ (L/min) \div Total\ Spray\ Area\ (m^2) = Application\ Rate\ (L/min/m^2)$$
5. Adjust the equipment and repeat the test if the test shows a spray application rate below the minimum specified requirement.

Spray Mixture Preparation, Top-up and Treatment Record

Spray Mixture Preparation & Top-up Preparation								Eligible citrus fruit treatment						
Date	Time	Top-up (✓)	pH check (✓)	Volume of Concentrate (mL)	Volume of Mixture (L)	Trade Name of Concentrate	Date mixture discarded	Date of treatment	Start time	Finish time	Type of eligible citrus fruit treated	Quantity of eligible citrus fruit treated (kg or packages)	Treatment Operator's Name	Signature

SPRAY MIXTURE PREPARATION CHART

Concentrate (*Trade Name*): _____

Mixture Application Rate: _____

Mixture Rate (mL): _____

Full Tank (Concentrate [mL or g]/Mixture [L])

Full Tank Volume: _____ Litres

Concentrate in Full Tank: _____ mL or g

Part Fill or Top-Up (Concentrate [mL or g]/Mixture [L])

_____ mL/g Concentrate / _____ Litres Mixture

_____ mL/g Concentrate / _____ Litres Mixture

_____ mL/g Concentrate / _____ Litres Mixture

_____ mL/g Concentrate / _____ Litres Mixture

_____ mL/g Concentrate / _____ Litres Mixture

_____ mL/g Concentrate / _____ Litres Mixture

Prepared by: _____

Printed Name

Signature

Date

FRUIT FLY CHEMICAL TREATMENT SAMPLE FOR ANALYSIS FORM

SAMPLE DETAILS

Client's Name: IP Number:

N				
---	--	--	--	--

Postal Address:

 Street Address:

Telephone No: () Fax No: ()

Crop Treated:

Chemical used (tick): Dimethoate

Chemical Brand Name: Batch Number:

Total Volume of Mixture: litres Volume of concentrate added: mL

Name and Amount of other chemicals added:

Date of Mixing: Time of Mixing:

AM
PM

Method of Application (tick one): Dip Flood Spray Non-recirculating Spray

Eligible citrus fruit wetness immediately prior to treatment (tick one): Dry Moist Dripping

Sample Number as marked on sample bottle:

Date sample collected: Time sample collected:

AM
PM

Eligible citrus fruit volume treated up until sample collected: cartons

Total volume of chemical mixture **at time of sampling**: litres

Other information on sample:

ANALYSIS DETAILS - For Laboratory Use Only

Laboratory Identification:
(Apply stamp)

Laboratory Number: Date Received: Date Analysed:

Analysis Method:

Result: Chemical: Concentration: mL/L Date Reported:

Comments:

Analyst Name: Signature: Date:

Chemical Mixture Analysis Record

Sample Details	Chemical Mixture Details		Eligible citrus fruit details	Analysis Details
Date of Sampling- _____ Time of Sampling- _____ Sample No.- _____	Trade Name of Concentrate- _____ Batch No.- _____ Volume of Concentrate- _____ mL	Other Additive/s- _____ Volume of Additive/s- _____ mL Total Volume of Mixture- _____ Litres	Eligible citrus fruit treated- _____ Quantity treated- _____ Condition <input checked="" type="checkbox"/> - <input type="checkbox"/> Dry <input type="checkbox"/> Moist <input type="checkbox"/> Wet	Laboratory- _____ Analysis No.- _____ Analysis Result- _____
Date of Sampling- _____ Time of Sampling- _____ Sample No.- _____	Trade Name of Concentrate- _____ Batch No.- _____ Volume of Concentrate- _____ mL	Other Additive/s- _____ Volume of Additive/s- _____ mL Total Volume of Mixture- _____ Litres	Eligible citrus fruit treated- _____ Quantity treated- _____ Condition <input checked="" type="checkbox"/> - <input type="checkbox"/> Dry <input type="checkbox"/> Moist <input type="checkbox"/> Wet	Laboratory- _____ Analysis No.- _____ Analysis Result- _____
Date of Sampling- _____ Time of Sampling- _____ Sample No.- _____	Trade Name of Concentrate- _____ Batch No.- _____ Volume of Concentrate- _____ mL	Other Additive/s- _____ Volume of Additive/s- _____ mL Total Volume of Mixture- _____ Litres	Eligible citrus fruit treated- _____ Quantity treated- _____ Condition <input checked="" type="checkbox"/> - <input type="checkbox"/> Dry <input type="checkbox"/> Moist <input type="checkbox"/> Wet	Laboratory- _____ Analysis No.- _____ Analysis Result- _____
Date of Sampling- _____ Time of Sampling- _____ Sample No.- _____	Trade Name of Concentrate- _____ Batch No.- _____ Volume of Concentrate- _____ mL	Other Additive/s- _____ Volume of Additive/s- _____ mL Total Volume of Mixture- _____ Litres	Eligible citrus fruit treated- _____ Quantity treated- _____ Condition <input checked="" type="checkbox"/> - <input type="checkbox"/> Dry <input type="checkbox"/> Moist <input type="checkbox"/> Wet	Laboratory- _____ Analysis No.- _____ Analysis Result- _____



Department of
Primary Industries

Certificate Number	
Business Specific Information*	
Dispatch Date: / /	Ref No:
Arrival Date: / /	PO No:
<small>* These items display business specific information entered at the discretion of the consignor. They do not represent any part of the certifying conditions of the produce</small>	

Plant Health Assurance Certificate

A biosecurity certificate issued under Part 13 of the *NSW Biosecurity Act 2015*

All accreditation details must be completed. Please print clearly and initial any alterations.

Consignment Details

Consignor

Name

Address

State Postcode

Consignee

Name

Address

State Postcode

Reconsigned to: (If applicable)

Splitting consignments, preparing composite lots or reconsigning whole consignments

Name

Address

State Postcode

Certification Details

IP Number	Facility Number	Procedure
-----------	-----------------	-----------

N		
---	--	--

Accredited Business that prepared produce

Name

Address

State Postcode

Grower(s) (If more than one grower – attach list)

Name

Address

State Postcode

	Number of Packages	Type of Packages (e.g. trays, cartons)	Type of Produce	Brand Name or identifying marks (as marked on packages)	Date Code (as marked on packages)	Authorisation for reconsignment
1						
2						
3						
4						

Treatment Details

	Treatment Date	Treatment <small>Chemical (Active Ingredient), Concentration, Duration, Temperature</small>
1	/ /	
2	/ /	
3	/ /	
4	/ /	

Additional Certification/Codes:

This certificate is valid for 21 days from date of certification

Declaration

I am a person authorised under the *NSW Biosecurity Act 2015* to issue this biosecurity certificate and I hereby certify that the details shown above are true and correct and the procedure(s) listed above have been completed.

Full name _____

Signature _____

Date _____

Note: A person who provides false or misleading information on a biosecurity certificate is guilty of an offence under the Act. Such action could result in a penalty infringement notice or prosecution. The maximum penalty for an individual is \$1,100,000, and the maximum penalty for a corporation is \$2,200,000. This information is collected by the collecting agency identified in this form in relation to its functions under the Biosecurity Act 2015. This agency/ies and the NSW Department of Industry may use and disclose this information as reasonably necessary for the purpose of performing biosecurity risk functions under, or reasonably contemplated by, the Biosecurity Act 2015.